

EW1325

30W USB-C and QC3.0 Charger

- USB-C smartphone/tablet charger 30 Watt for fast charging: up to 65% charged in 30 minutes
- Charge smartphones and tablets with USB-C and USB-A
- Designed for next generation iPhones including iPhone 15/14 and for Android Power Delivery enabled devices
- Charging stops automatically when the battery is full
- With 1x USB-C Power Delivery port and 1x QC3.0 USB-A port. Charge two devices simultaneously
- Compact design

DESCRIPTION

Charge your next generation Apple (including iPhone 15/14) and Android smartphone or tablet with the EW1325 30 Watt USB-C Fast Charger equipped with Power Delivery and USB-A QC3.0. This powerful yet compact USB-C charger is easy to take along. The USB-C charger stops charging automatically when the battery is full.

For Apple devices

The latest iPhones only include a charging cable. A USB-C charger isn't included. The EW1325 USB-C and QC3.0 Fast Charger 30W charger that is designed to charge the latest iPhones. Connect your iPhone to the Ewent 30W USB-C and QC3.0 Fast Charger and your smartphone will be charged up to 65% in only 30 minutes.

Android devices with Power Delivery support

Use the EW1325 USB-C and QC3.0 Fast Charger 30W to charge your Android smartphone/tablet with Power Delivery and QC 3.0 support. The USB charger negotiates with your smartphone/tablet to find the suitable charging profile.

Standard PPS Technology

30W USB-C + QC3.0 Charger has a PPS (Programmable Power supply) that is a standard that refers to the advanced charging technology for USB-C devices. It can modify voltage and current in real time by feeding maximum power based on a device's charging status. PPS main advantage over other standards is its capability to lower conversion loss during charging. This means that less heat is generated, which lengthens the device battery's lifespan.

TECHNICAL

- Max. output power: 30.0 W
- Output USB-C:
 - 5.0V □ 3.0A 15.0W Max,
 - 9.0V □ 3.0A 27.0W Max,
 - 12.0V □ 2.5A 30.0W Max,
 - 15.0V □ 2.0A 30.0W Max,
 - 20.0V □ 1.5A 30.0W Max
- PPS1:3.3-11.0V □ 3.0A 30.0W Max or
- PPS2:3.3-16.0V □ 2.0A 30.0W Max
- Output USB-A QC3.0:
 - 5.0V □ 3.0A 15.0W Max,
 - 9.0V □ 3.0A 27.0W Max,
 - 12.0V □ 2.5A 30.0W Max,
 - 20.0V □ 1.5A 30.0W Max
- USB-A + USB-C: 5.0V □ 3.0A 15.0W Max
- Input voltage: 100 - 240 V AC 1,0A Max
- Power Delivery ports: 1x
- USB-C supports: PD2.0/PD3.0 /PPS /QC4+/QC2.0 /QC3.0 /FCP /AFC
- QC3.0 Port: 1x
- USB-A supports: QC2.0 /QC3.0
- Colour: White



- Input connector: CEE 7/16 (Euro) male
- Protection: Over Current Protection; Over Voltage Protection; Over Temperature Protection; Over Power Protection
- Dimensions: 45x26x88mm
- Weight: 66g

LOGISTIC

- Product Weighth:
- Retail packaging Dimension (mm):
- Retail packaging Weigth:
- Master carton Qty:
- Master carton Dimension (cm):
- Master carton Weigth:

